


EQ-L16

Carbon Nano Gel Bloc





Electrical Specifications

Voltage	6V	
M.R.C. 25 Amps	750	
80% DOD Voltage Cutoff	5.6V	
Low Voltage Cutoff	5.4V	
Self Discharge	Less than 3% per month (20°C/68°F)	
Charge Temperature	Min: -10°C (14°F) / Max: 50°C (122°F)	
Discharge Temperature**	Min: -40°C (-40°F) / Max: 50°C (122°F)	
Storage	Min: -20°C (-4°F) / Max: 60°C (140°F)	

Amp Hours (AH)				
5 HR	10 HR	20 HR	100 HR	
290	311	331	361	

^{**} CAUTION: Depths of discharge, operating voltages and currents, when designing systems for use at maximum temperatures, will vary.

Mechanical Specifications

Industry Reference	L16		
Length (A)	11.9 in	302 mm	
Width (B)	7.0 in	178 mm	
Height (C)	15.9 in	405 mm	
Weight	118 lbs	53.4 kgs	
Terminal (Opt'l)	M10		
Cell(s)	3		
Electrolyte	Gel		
Terminal Torque Nm	16		

NOTE: There is a tolerance of +/-2%.


Terminal Options Available:

M10 A-Pole Dual Stud



Left - Negative

Right - Positive



Features

Maintenance free - no topping up required

Ultra energy efficient due to low resistance

Reduced operating temperatures for increased cycle life (>1500 cycles) and battery lifetime

Cost savings due to increased efficiency

Up to 2 x faster recharge

Increased design life from 12 to 15 years

Allows for opportunity charging to give you those extra running times when required

Suitable for extreme temperature variants

Applications: all motive, leisure & solar:

Electric vehicles, including cleaning machines

Wheelchairs

Electric Working Platforms

UPS Systems

Traffic Systems

Telecommunications & Emergency Lighting

Caravans / Motorhomes RV's & Maritime

Solar & Renewable Energy & Home Invertor

Compliant with EN60254-1&2 and IEC254-1/2



Charging profile

IU Charging $I = min. 12\% C_5 max. 30\% C_5$


U = 2.4 V per cell

IUI Charging $I_1 = min. 12\% C_5 max. 40\% C_5$

 $U = 2.35 \, \text{V} \, \text{per cell}$

 $I_2 = 1.5 \% C_5$ for max. 4 hours

Self discharge at different temperatures




Capacity vs. temperature

10°C


20°C

30°C


40°C



Storage: Determine the state of charge



Relation between charging, voltage and temperature



STANDBY USE

CYCLE USE